

The BUKH V8 6.6L is a extremely powerful and compact light weight diesel engine that are designed to suit all commercial and leisure applications. With the extreamly strong GM Duramax base engine and Marinization done by BUKH in Denmark, the BUKH V8 is the right choise when reliability, performance, compact and quality is the keywords for your project.



ENGINE BLOCK AND HEAD

- Cast iron cylinder block Induction hardned for increased durability
- Nitride hardened steel crankshaft
- · One piece hot forged steel connection rods
- Aluminum cylinder head
- · 4 valves per cylinder
- · Frontend gear train

ENGINE MOUNTING

Flexible engine mounting

LUBRICATION SYSTEM

- Crankcase ventilation system
- · Oil filter relocator / remote filter bracket

FUEL SYSTEM

- · External fuel filter for remote or on enigne install
- Fuel cooler installed on engine
- · Bosch CP3 common rail system
- · Pilot injections to reduce combustion noice

AIR INLET AND EXHAUST SYSTEM

- Exhaust manifolds made of high quality cast aluminium
- Wet exhaust elbow
- Intake assembly with integrated stainless steel intercooler
- · Variable geometry turbo (VGT)

COOLING SYSTEM

- · Freshwater-cooled charge air cooler
- · Seawater cooled heat exchanger
- · Coolant system prepared for hot water outlet
- Easily accessible seawater pump front of engine
- · Steering oil cooler prepared on engine

ELECTRICAL SYSTEM

- 12V alternator
- 24 V alternator (optional)
- · Dual alternator (optional)
- Dual electric starter (Optional)
- Glowplugs (Optional)
- Extra alternator (Optional)

INSTRUMENTS/CONTROLS

- Engine date on 3,5" display
- Laptop based diagnostics tool
- J1939 and NMEA2000 can communication
- Display IP 66 protection (front)




BUKH V8-300 Specifications


Engine type	V8 9/109
Engine duty rating	C3 - Medium Continuous Commercial_1
Crankshaft power [hp(kW)]	300 (220)
Rpm@full load	3600
Cylinders	V8
Displacement [L]	6,6
Bore [mm]	103
Stroke [mm]	98
Compression ratio	16.8:1
Injection system	Bosch common rail
Alternator [V -A]	12V – 110A
Electronic engine diagnostic	YES
Max. torque, NM @	
Dry Weight Bobtail [kg]	510
Propulsion system	Waterjet, Shaft-, Stern- & Surface drive


As BUKH is always endeavouring to improve the engines, specifications mentioned are subject to alterations without previous notice.


V8-300 Dimensions

Not for installation









www.bukh.dk - © 2018 BUKH. All rights reserved. 009X5121-R01